
Early Land Plants Today Contributing Data to an International Project Documenting Biodiversity

Introduction

The classification of organisms based on natural relationships utilizes multiple lines of evidence such

as morphology and anatomy, chemistry, physiology, DNA, ecology, distribution patterns etc. This laboratory exercise focuses on morphology - a branch of biology dealing with the study of the form and structure of organisms and their specific structural features. Morphology is fundamental in disciplines such as systematics (the study of the diversification of living forms, both past and present, and the relationships among living things through time). Here we investigate some morphological characteristics associated with selected early land plants (liverworts), focusing on a genus called *Frullania*.



What's a *Liverwort?* All land plants are classified into one of two groups. Vascular land plants, characterized by the compound lignin, contain special water transport cells that give them the ability to grow to great heights and in arid environments. Non-vascular land plants, on the other hand, are typically found in wet areas and are much smaller. Non-vascular land plants are called *Bryophytes* and can be further classified as Mosses, Hornworts, or Liverworts. Did you know that every Bryophyte spends most of its life as a haploid organism? These special organisms can be found all over the world from Fiji to Alaska. There might even be some in your backyard! With so many different organisms, scientists need your help to learn about each one. Your participation in the project will help groups of scientists learn more about each of these species and the differences between them. Who knows what we will discover?!

Liverworts can be broadly divided into three groups based on their morphology:



Objectives

The Ecological and Biological Significance of Early Land Plants (Bryophytes): Bryophytes play a major ecological role. The small size of these organisms enables them to respond rapidly to environmental and ecological change offering them great utility in conservation science. They have been used as indicators of past climate change and as early indicators of global warming. A growing body of evidence also identifies liverworts as the earliest diverging lineage of bryophytes, so they are considered evolutionary very significant. Chemical compounds extracted from liverworts also exhibit important biological activity. For example, chemical extracts derived from *Frullania* species have been found to have cytotoxicity against certain cancer cell lines, and significant antimicrobial and antifungal activity

- **Develop** an understanding of using software to capture and measure data electronically.
- **Evaluate** the accuracy of the software Image J.
- **Perform** measurements on a series of morphological characters from digital images.
- **Record** observations on a series of morphological characters from digital images.
- Discuss and analyze the variability of morphological characters.

Materials

- Computer with Image J installed.
- Folder with digital images of selected species of early land plants.
- Instructions for Image J and laboratory.

Shortcuts

To open image in ImageJ

Open ImageJ---->File ---->Open---->select folder or file---->click open button

To set scale

Click line button on tool ribbon----->draw line----->analyze----->set scale----->enter in known distance----->enter in unit of length----->click OK button

To measure

Click line button on tool ribbon----->draw line----->analyze----->measure

Or

Click line button on tool ribbon----->draw line----->analyze----->press command and M at the same time

Instructions and exercises

Exercise 1

- 1) Read the instructions on how to set the scale of the software.
- 2) Open Image J.
- 3) Using the image file labeled "scale bar", set the scale and test it as instructed in the manual. Measure the full length of the scale bar in the image.

Record the following:		
Distance in pixels:		
Known distance:		
Unit of length:		
Scale:	(p	oixels/unit of length)


How many microns in a millimeter?

Why is it important to calibrate the software with the images?

Exercise 2

- 1) Open the folder named "Plant habit".
 - 2) Using Image J, for each of the images, measure the length and width of FIVE structures called lobules, as indicated.
 See the example to the right.
 Remember you have to set the scale. Use the scale bar embedded in the image to

set the scale. Record the units.



Results:

	Species a		Species b		
Lobule No.	Length	Width	Length	Width	
1					
2					
3					
4					
5					
Mean					

Provide the mean of both the length and the width for both species. Which species has the larger lobule? _____

Observations:


Looking at each image, would you describe the margin of the underleaves as entire (smooth edge) or toothed (with teeth)?

	Underleaf margin	Species a	Species b
--	------------------	-----------	-----------

Exercise 3

- 1) Open the folder named "Cell anatomy".
- 2) Using Image J, for each of the images, measure the cell length and width as indicated. Measure the five cells indicated in the image. Remember to set the scale. In the image, one unit = 10 μm.

See the example to the right.



Cell no.	Species a		Species b		Species c	Species c	
	Length	Width	Length	Width	Length	Width	
1							
2							
3							
4							
5							
Mean							

3) How does it compare to cell size in other organisms?

INSERT WEBLINK

Observations

Count number of oilbodies for five cells, as indicated. These are specialized structures containing various chemical compounds within each cell.

Cell No.	Number of oilbodies per cell			
	Species a	Species b	Species c	
1				
2				
3				
4				
5				
Mean				
Range				

Do you observe any other note worthy differences between these structures from the different species?


The chemicals extracted from the oilbodies have active biological properties. List three types of biological activity these chemicals exhibit.

Exercise 4

1) Open the folder named "spores".

Exercise 4A

2) Using Image J, for each of the images, measure the length and width of the spores, as indicated. Remember you have to set the scale.



Spe	cies a	Sp	ecies b	Spe	cies c	Spe	cies d
Length	Width	Length	Width	Length	Width	Length	Width

Exercise 4B

3) Count number of rosettes

No. of rosettes	Species a	Species b	Species c	Species d
Tosettes				